



V660 HDD EVO

Hard Drive Degausser and Tape Eraser

FEATURES

- Erases Hard Drives & Backup Tapes ✓
- Quick and Reliable, hands free degaussing ✓
- Only 20 Second erase time per hard drive ✓
- Manual and Infra-Red remote control operation ✓
- Cost Effective ✓

OUR PROMISE

- Three Year Warranty, extendable on request ✓
- Lifetime Technical Support ✓
- A trusted brand - Innovators and manufacturers of data destroyer solutions for over 30 years ✓



U.S. 530-626-6924

U.K. +44 (0) 1252 333577

info@vssecurityproducts.com

veritysystems.com



INTRODUCTION

The **V660 HDD Evo** is a high energy degausser, especially designed to eliminate all data from computer, laptop and server hard drives. The **V660** will also erase data from high coercivity tape, including LTO, DLT, Super DLT, AIT and many more. Hard drives are completely erased in **less than 20 seconds**.

Easy and Safe Operation: Operation of the **V660** could not be easier, simply place the hard drive into the support, close the lid and either push the “Degauss” button on the control panel, or use the infra red remote control. Each hard drive is completely erased in only four passes.

Secure and Safe: With safety in mind and to meet the latest **ICNIRP** Magnetic Exposure Guidelines, the **V660** can be operated remotely via the infra red remote control. The unit can also be locked in the manual or remote operation position by removing the key.



U.S. 530-626-6924

U.K. +44 (0) 1252 333577

info@vssecurityproducts.com

veritysystems.com



SPECIFICATIONS

Media Handling:

Standard PC, Laptop and Server 3.5", 2.5" & 1.8" Hard Drives.

Longitudinal & perpendicular recording.

All drive interfaces; IDE, SATA, SAS and Fibre Channel.

All backup tapes including; DLT,2,3,4,5,6 & SDLT, LTO1,2,3,4,5,6,7 & 8
3480/3490/3490e,3590,9840,T9940 & T10000 tape.

Ultrium & Redwood SD-3 tape and cartridges.

Mammoth 1 & 2, 8mm, AIT1 & 2, M2 tapes, DDS 1,2,3,4 & 5, DD-2

Power Supply: 220-240V 50Hz, 208-220V 60Hz

Current Rating: 9 Amps typical

(Please specify Voltage and Frequency when ordering)

Degaussing Force: 7000 Gauss

Duty Cycle: Non-Continuous

Dimensions (WxHxD): 16.5" x 7" x 19" (42cm x 18cm x 48cm)

Packed Dimensions (WxHxD):

20.8" x 25.5" x 10.6" (53cm x 65cm x 27cm)

Packed Weight: 62lbs (28kg)

Media Support Area: 5.75" x 3.97" x 0.98" (14.6cm x 10.1cm x 2.5cm)

Maximum physical drive size: Standard 3.5", half height device

Throughput: 20 Hard drives per hour typical

Controls:

On/Off,

Manual/Remote Key Switch,

On/Off Erase Field,

Coil Power Supply Warning Light

Warranty: 36 Months back to base, all parts & labour included.

Extended warranties also available.



U.S. 530-626-6924

U.K. +44 (0) 1252 333577

info@vssecurityproducts.com

veritysystems.com



WHO RECOMMENDS HARD DRIVE DEGAUSSING?

As part of their guidelines for sanitization of magnetic media, **degaussing** is recommended by:

- National Institute of Standards & Technology
- Department of Defence
- Government Security Organizations

The following **Government Mandates** require destruction of sensitive information stored on Hard Drives and Tapes before disposal:

- PCI DSS (Payment Card Industry Data Security Standard)
- PIPEDA (Personal Information Protection and Electronic Document Act)
- NIST (National Institute of Standards and Technology)
- Guidelines for Media Sanitization
- NIST.SP.800-88r1 & NIST SP 800-36
- Gramm-Leach-Bliley Act (GLBA)
- HIPAA (Health Information Portability and Accountability Act)
- California SB-1386
- IRS-1075
- CJIS
- Bank Secrecy Act (BSA)
- GDPR (General Data Protection Regulation)

VS Security Products maintains a policy of continuous improvement and reserves the right to amend this specification without notice.

Tailored Transport Case:

For transporting the Degausser, or for safe storage when not in use, we have designed a case with convenient handle and wheels.



U.S. 530-626-6924

U.K. +44 (0) 1252 333577

info@vssecurityproducts.com

veritysystems.com

